

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product Identifier:**

**Product Name:** Canon Toner (Black) for CLC500

**Product Code:** 1420A / F41-6901

**Relevant Identified Uses:** Toner for electrophotographic apparatus

**Details of Supplier of Safety Data Sheet:**

**Supplier:** Canon Europa NV

**Address:** Bovenkerkerweg 59, 1185XB Amstelveen, The Netherlands

**Telephone Number:** +31 20 5458545, +31 20 5458222

**E-mail Address:** www.canon-europe.com, ceu-Reach@canon-europe.com

**Emergency Telephone Number:** DENMARK: +45 82 12 12 12; GERMANY: +49 30 19240, +49 761 19240;  
BELGIUM & NETHERLANDS: +32 70 245 245; FRANCE: +33 1 40 05 48 48;  
UK only 0845 4647; FINLAND: +358 9 471 977; SWEDEN: +46 8 33 12 31

**Manufacturer:** Canon Inc.

**Address:** 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo 146-8501, Japan

**SECTION 2 HAZARDS IDENTIFICATION**

**Emergency Overview:** Black fine powder, slight plastic odor.

**US Regulatory Status under OSHA HCS:**

Not classified as hazardous.

**US Label Elements under OSHA HCS:**

**Signal Word:** Not required

**Hazard Warning:** Not required

**Safety Advice:** Not required

**Hazardous Component:** Not required

**EU Classification under 1999/45/EC:**

Not classified as dangerous.

**EU Label Elements under 1999/45/EC:**

**Symbol & Indication:** Not required

**R-Phrase:** Not required

**S-Phrase:** Not required

**Dangerous Component:** Not required

**Applicable Label Elements in accordance with Annex V to 1999/45/EC:**

Safety data sheet available for professional user on request.

**Other Hazards:** None

**SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS**

**Substance or Mixture:** Mixture

**Ingredient(s):**

Chemical Name/ Generic Name	CAS #/ EC #	Concentration/ Concentration Range (%)	EU Classification according to 67/548/EEC		EU Classification according to (EC) No 1272/2008		Note to Other Hazards* <sup>2</sup>
			Symbol/ Indication of Danger	R-Phrase* <sup>1</sup>	Hazard Class/ Category Code	Hazard Statement* <sup>1</sup>	
Polyester resin	Confidential	85-95	None	None			
Pigment	Confidential	1-5	None	None			
Hydrogen bis[3,5-di-tert-butylsalicylato(2-)-O1, O2]chromate(1-)	72869-85-3/ 276-955-4	1-5 (as Cr: 0.1-0.5)	Xn / Harmful	R22	Acute Tox.4	H302	

\*1 Full texts of R-phrase(s) and Hazard statement(s) are listed in SECTION 16

\*2 The following substance(s) is (are) marked with (1), (2) and/or (3)

(1) Substance for which Occupational Exposure Limit(s) is (are) established (See SECTION 8)

(2) PBT substance or vPvB substance under Regulation (EC) No 1907/2006

(3) Substance listed in Candidate List of SVHC for Authorisation under Regulation (EC) No 1907/2006

**Carcinogen(s)**

No component of this toner is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Part 3 of Annex VI to Regulation (EC) No 1272/2008.

## SECTION 4 FIRST AID MEASURES

### First Aid Measures:

#### Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

#### Ingestion:

Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.

#### Skin:

Wash with soap and water. If irritation persists, obtain medical advice.

#### Eye:

Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.

### Most Important Symptoms and Effects, both Acute and Delayed:

#### Inhalation:

Exposure to excessive amounts of dust may cause physical irritation to respiratory tract.

#### Ingestion:

Practically non-toxic. Ingestion is a minor route of entry for intended use of this product.

#### Skin:

May be non-irritant.

#### Eye:

May cause transient slight irritation.

#### Chronic Effects:

Prolonged inhalation of excessive amounts of dust may cause lung damage. Use of this product as intended does not result in inhalation of excessive amounts of dust.

### Indication of Any Immediate Medical Attention and Special Treatment Needed:

None

## SECTION 5 FIRE FIGHTING MEASURES

### Extinguishing Media:

#### Suitable Extinguishing Media:

CO2, water, dry chemicals

#### Unsuitable Extinguishing Media:

None

### Special Hazards:

Can form explosive dust-air mixtures when finely dispersed in air.

### Hazardous Combustion Products:

CO2, CO

### Advice for Fire-fighters:

Wear gloves, glasses, a mask if necessary.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid breathing dust. Wash thoroughly after handling.

### Environmental Precautions:

Do not wash away into sewer.

### Methods and Material for Containment and Cleaning Up:

Sweep slowly spilled powder on to paper, and carefully transfer into a waste container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.

If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine powder can form explosive dust-air mixtures.

# MATERIAL SAFETY DATA SHEET

MSDS #: TN1068-0202  
Product Code: 1420A / F41-6901

## SECTION 7 HANDLING AND STORAGE

### Precautions for Safe Handling:

Avoid breathing dust. Wash thoroughly after handling.  
Use with adequate ventilation.

### Conditions for Safe Storage, Including Any Incompatibilities:

Keep out of the reach of children.  
Keep away from oxidizing materials.

### Specific End Uses:

Toner for electrophotographic apparatus.  
For more information, please refer to the instruction of this product.

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control Parameters:

	USA OSHA PEL	ACGIH TLV	EU OEL	DFG MAK
Product (Toner)	PNOR: TWA 15 mg/m <sup>3</sup> (Total dust), TWA 5 mg/m <sup>3</sup> (Respirable fraction)	PNOS: TWA 10 mg/m <sup>3</sup> (Inhalable fraction), TWA 3 mg/m <sup>3</sup> (Respirable fraction)	Not established	Dust: 4 mg/m <sup>3</sup> Not established(Inhalable fraction), 1.5 mg/m <sup>3</sup>
Ingredient(s)	Not established	Not established	Not established	Not established

### Exposure Controls:

#### Engineering Controls:

No special ventilation equipment is needed under intended use of this product.

#### Individual Protection Measures:

**Eye/Face Protection:** ☐ Required  
☒ Not Required

**Skin Protection:** ☐ Required  
☒ Not Required

**Respiratory Protection:** ☐ Required  
☒ Not Required

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties:

Appearance:	Black fine powder
Odor:	Slight plastic odor
pH:	Not applicable
Melting Point/Freezing Point (°C):	85-120 (Softening point)
Initial Boiling Point and Boiling Range (°C):	Not applicable
Flash Point(°C):	Not applicable
Evaporation Rate:	Not applicable
Flammability:	Estimate: Not-flammable (Test method: Directive 92/69/EEC, A10 Flammability (Solids)) (See SECTION 16)
Upper/Lower Flammable or Explosive Limits:	Not applicable
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Relative Density:	1.0-1.5
Water Solubility:	Negligible
Fat Solubility:	Partially soluble in toluene and xylene.
Partition Coefficient (n-Octanol/Water):	Not applicable
Auto-ignition Temperature (°C):	Not available
Decomposition Temperature (°C):	> 200
Viscosity (mPa s):	Not applicable
Explosive Properties:	Can form explosive dust-air mixtures when finely dispersed in air.
Oxidizing Properties:	Not available
Other Information:	Not available

SECTION 10 STABILITY AND REACTIVITY

Reactivity:	None
Chemical Stability:	<input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable
Possibility of Hazardous Reactions:	None
Conditions to Avoid:	None
Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO2

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects:

#### Acute Toxicity:

##### Inhalation:

Not available

##### Ingestion:

Rat, LD50 > 5000 mg/kg

#### Corrosivity/Irritation:

##### Skin:

Rabbit, non-irritant

##### Eye:

Rabbit, transient slight conjunctival irritation only.

#### Sensitization:

##### Skin:

Guinea pig: Non-sensitizing

#### Repeated Dose Toxicity:

##### Chronic effects:

Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m<sup>3</sup> which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m<sup>3</sup>, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m<sup>3</sup>. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.

#### Carcinogenicity:

Not available

#### Mutagenicity:

Ames Test (S. typhimurium): Negative

#### Toxicity for Reproduction:

Not available

#### Other Information:

Not available

## SECTION 12 ECOLOGICAL INFORMATION

<b>Toxicity:</b>	Estimate: Fish, 96h LL50 > 1000 mg/l (WAF) Estimate: Crustaceans, 48h EL50 > 1000 mg/l (WAF) Estimate: Algae, ErL50(0-72h) > 1000 mg/l (WAF) (See SECTION 16)
<b>Persistence and Degradability:</b>	Not available
<b>Bioaccumulative Potential:</b>	Not available
<b>Mobility in Soil:</b>	Not available
<b>Results of PBT and vPvB Assessment:</b>	No results that the component(s) of this toner meet(s) the PBT or vPvB criteria under Regulation (EC) No 1907/2006.
<b>Other Adverse Effects:</b>	Not available

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste Treatment Methods:

DO NOT put toner or toner container into fire; heated toner may cause severe burns. DO NOT shred a toner container, unless dust-explosion preventing measures are taken. Finely dispersed particles form explosive mixtures in air. Disposal should be subject to federal, state and local laws.

## SECTION 14 TRANSPORT INFORMATION

<b>UN Number:</b>	None
<b>UN Proper Shipping Name:</b>	None
<b>Transport Hazard Class:</b>	None
<b>Packing Group:</b>	None
<b>Environmental Hazards:</b>	Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.
<b>Special Precautions for User:</b>	None

## SECTION 15 REGULATORY INFORMATION

### < USA Information >

#### SARA Title III §313:

Chemical Name	Weight %
"Chromium(III) Compounds" (as Cr)	1-5 (0.1-0.5)

#### California Proposition 65:

Chemical Name	Weight %
None	

### < EU Information >

#### Safety, Health and Environmental Regulations/Legislation:

<b>(EC) No 1907/2006: Authorisation:</b>	Not regulated
<b>Restriction:</b>	Not regulated
<b>(EC) No 1005/2009:</b>	Not regulated
<b>(EC) No 850/2004:</b>	Not regulated
<b>(EC) No 689/2008:</b>	Not regulated
<b>Others:</b>	None

**Chemical Safety Assessment under (EC) No 1907/2006:** Not required

**SECTION 15 REGULATORY INFORMATION (continued)**

< Canada Information >

**WHMIS Controlled Product:** Not a controlled product

< Australia Information >

**Statement of Hazardous Nature:** Not classified as hazardous according to criteria of NOHSC.

**SECTION 16 OTHER INFORMATION**

<EU R-phrase according to 67/548/EEC>

R22: Harmful if swallowed.

< EU Hazard statement according to (EC) No 1272/2008>

H302: Harmful if swallowed.

<Revised information from the previous version>

Entirely revised

<Term explanation>

Estimate: Estimate based on data of similar product or the ingredient(s) of this product.

**Literature References:**

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 1999/45/EC
- EU Regulation (EC) No 1907/2006, (EC) No 1272/2008, (EC) No 1005/2009, (EC) No 850/2004, (EC) No 689/2008
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances[NOHSC:1008]

**Abbreviations:**

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA)  
FHSA: Federal Hazardous Substances Act (USA)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
SVHC: Substances of Very High Concern  
IARC: International Agency for Research on Cancer  
NTP: National Toxicology Program (USA)  
OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA)  
ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists  
EU OEL: Occupational exposure limits at Community level under Directive 2004/37/EC, 98/24/EC, 91/322/EEC, 2000/39/EC, 2006/15/EC and 2009/161/EU  
DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft  
TWA: Time Weighted Average  
STEL: Short Term Exposure Limit  
PNOR: Particulates Not Otherwise Regulated  
PNOS: Particles (insoluble or poorly soluble) Not Otherwise Specified  
WHMIS: Workplace Hazardous Materials Information System  
NOHSC: National Occupational Health and Safety Commission

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacture makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacture be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.